IN THE CLAIMS:

Please amend the claims as follows:

1. (Currently Amended) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), N, CR^1, $C(R^2)(R^3)$, NR^5 and CH;

q is an integer of from 3 to 6;

A is NR^6;

E is NR^7;

J is O;

T is $(CH_2)_b$ wherein b is an integer of from 0 to 2;

M is selected from the group consisting of $C(R^9)(R^{10})$ and $(CH_2)_u$ wherein u is an integer of from 0 to 1;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

X is selected from the group consisting of CO_2B, and tetrazolyl;

W is selected from the group consisting of C and CR^{15};

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, -OH, $-NHC(O)N(C_1-C_3$ alkyl)$C(O)NH(C_1-C_3$ alkyl), $-NHSO_2(C_1-C_3$ alkyl), alkylamino, di(C_1-C_3 alkyl)amino, cycloalkyl, aryl, arylamino, ~~heterocyclyl~~ 1,4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl and sulfonamido;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, ~~heterocyclyl~~, alkylaryl~~,~~ and aralkyl~~,~~ ~~heterocyclylalkyl and alkylheterocyclyl~~;

R^5 at each occurrence is independently selected from the group consisting of

alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl~~,~~ ~~heterocyclylalkyl, heterocyclyl~~ and aryloxyalkyl;

R^6 and R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group consisting of

hydrogen, alkyl and halogen; and

R^{15} is hydrogen;

wherein B, R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^9, R^{10} and R^{15} are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

~~and wherein when A is NR^6 and at least one Y is CR^+, R^+ and R^6 taken together may form a ring~~;

or a pharmaceutically acceptable salt thereof.

2. (Original) A compound of claim 1 wherein

A is NR^6;

E is NR^7;

J is O;

M is $C(R^9)(R^{10})$;

q is 4 or 5;

T is $(CH_2)_b$ wherein b is 0;

L is $(CH_2)_n$ wherein n is 0;

X is CO_2B;

W is C or CR^{15};

R^4 is selected from the group consisting of aryl, alkylaryl, aralkyl~~,~~ and ~~heterocyclyl,~~

~~alkylheterocyclyl and heterocyclylalkyl~~; and

R^6, R^7, R^9, R^{10} and R^{15} are independently selected from the group consisting of hydrogen and lower alkyl.

3. (Original) A compound of claim 1 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

4. (Currently Amended) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), N, CR^1, $C(R^2)(R^3)$, NR^5 and CH;

q is an integer of from 3 to 6;

T is $(CH_2)_b$ wherein b is an integer of 0 to 2;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

W is selected from the group consisting of C and CR^{15};

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, -OH, $-NHC(O)N(C_1-C_3$ alkyl)$C(O)NH(C_1-C_3$ alkyl), $-NHSO_2(C_1-C_3$ alkyl), alkylamino, di(C_1-C_3 alkyl)amino, cycloalkyl, aryl, arylamino, ~~heterocyclyl~~ 1,4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl and sulfonamido;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, ~~heterocyclyl,~~ alkylaryl~~,~~ and aralkyl~~,~~ ~~heterocyclylalkyl and alkylheterocyclyl~~;

R^5 at each occurrence is independently selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, ~~heterocyclylalkyl, heterocyclyl~~ and aryloxyalkyl;

R^6 and R^7 are independently hydrogen or alkyl; and

R^9 and R^{10} are independently selected from the group consisting of hydrogen, alkyl and halogen; and

R^{15} is hydrogen;

wherein B, R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^9, R^{10} and R^{15} are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

~~and wherein when at least one Y is CR1, R1 and R6 taken together may form a ring;~~

or a pharmaceutically acceptable salt thereof.

5. (Original) A compound of claim 4 wherein

q is 4 or 5;

W is C or CR^{15};

T is $(CH_2)_b$ wherein b is 0;

L is $(CH_2)_n$ wherein n is 0;

R^4 is selected from the group consisting of aryl, alkylaryl~~,~~ and aralkyl~~,~~ ~~heterocyclyl, alkylheterocyclyl and heterocyclylalkyl~~; and

R^6, R^7, R^9, R^{10} and R^{15} are independently selected from the group consisting of hydrogen and lower alkyl.

6. (Original) A compound of claim 4 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

7. (Currently Amended) A compound of the structure



wherein Y, at each occurrence, is independently selected from the group consisting of C(O), N, CR^1, $C(R^2)(R^3)$ and CH;

q is an integer of from 2 to 4;

T is $(CH_2)_b$ wherein b is an integer of 0 to 2;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

B is H or alkyl;

R^1 at each occurrence is independently selected from the group consisting of hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, -OH, $-NHC(O)N(C_1-C_3$ alkyl)$C(O)NH(C_1-C_3$ alkyl), $-NHSO_2(C_1-C_3$ alkyl), alkylamino, di(C_1-C_3 alkyl)amino, cycloalkyl, aryl, arylamino, ~~heterocyclyl~~ 1,4-oxazinan -4-yl, 4-methyltetrahydro - 1(2H)- pyrazinyl, 1-azetanyl and sulfonamido;

R^2 and R^3 are hydrogen;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, ~~heterocyclyl,~~ alkylaryl~~,~~ and aralkyl~~,~~

~~heterocyclylalkyl and alkylheterocyclyl~~;

R^6 R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group of

hydrogen, alkyl and halogen; and

R^{18} is selected from the group consisting of

hydrogen, alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl, ~~alkylheterocyclyl,~~

~~heterocyclylalkyl, heterocyclyl~~ and aryloxyalkyl;

wherein B, R^1, R^2, R^3, R^4, R^5, R^6, R^7, R^9, R^{10}, R^{11} and R^{18} are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

~~and wherein when at least one Y is CR^+, R^+ and R^6 taken together may form a ring~~;

or a pharmaceutically acceptable salt thereof.

8. (Original) A compound of claim 7 wherein R^{18} is selected from the group consisting of hydrogen, alkyl, aryl, aralkyl~~,~~ and cycloalkyl~~, alkylheterocyclyl,~~ ~~heterocyclylalkyl and heterocyclyl~~;

T is $(CH_2)_b$ wherein b is 0;

L is $(CH_2)_n$ wherein n is 0;

Y is selected from the group consisting of CR^1 and $C(R^2)(R^3)$ and

q is 2 or 3.

9. (Original) A compound of claim 7 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

10. (Currently Amended) A compound of claim 7 wherein



is selected from the group consisting of



and



;

wherein R^{18} is selected from the group consisting of

alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl~~, heterocyclylalkyl, heterocyclyl~~ and aryloxyalkyl;

R^{19} at each occurrence is independently selected from the group consisting of

alkyl, heterocyclyl and aryl;

R^{20} at each occurrence is independently selected from the group consisting of hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, -OH, $-NHC(O)N(C_1-C_3$ alkyl)$C(O)NH(C_1-C_3$ alkyl), $-NHSO_2(C_1-C_3$ alkyl), alkylamino, di(C_1-C_3 alkyl)amino, cycloalkyl, aryl, arylamino, 1,4-oxazinan -4-yl, 4-methyltetrahydro -1(2H)- pyrazinyl, 1-azetanyl ~~heterocyclyl~~ and sulfonamido;

R^{21} is hydrogen;

R^{22} is hydroxy;

R^{28} at each occurrence is independently selected from the group consisting of alkyl and hydroxy;

c is an integer of zero to two;

d is an integer of zero to three;

e is an integer of zero to four; and

i is an integer of zero to two.

11. (Original) The compound of claim 7 wherein R^{18} is aralkyl;

R^4 is aryl;

T is $(CH_2)_b$ where b is zero;

L is $(CH_2)_n$ where n is zero; and,

B, R^6, R^7, R^9 and R^{10} are each independently hydrogen.

12. (Currently Amended) A compound of the structure



wherein T is $(CH_2)_b$ wherein b is an integer of from 0 to 2;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

g is an integer of from 0 to 7;

B is H or alkyl;

R^4 is selected from the group consisting of

hydrogen, alkyl, aryl, biaryl, ~~heterocyclyl,~~ alkylaryl~~,~~ and aralkyl~~,~~

~~heterocyclylalkyl and alkylheterocyclyl~~;

R^6 and R^7 are independently hydrogen or alkyl;

R^9 and R^{10} are independently selected from the group consisting of

hydrogen, alkyl and halogen;

R^{18} is selected from the group consisting of

alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl~~, heterocyclylalkyl, heterocyclyl~~

and aryloxyalkyl; and

R^{23} at each occurrence is independently selected from the group consisting of

hydrogen, halogen, alkyl, alkoxy, $-CF_3$, $-NH_2$, -OH, $-NHC(O)N(C_1-C_3$ alkyl)$C(O)NH(C_1-C_3$ alkyl), $-NHSO_2(C_1-C_3$ alkyl), alkylamino, di(C_1-C_3 alkyl)amino, cycloalkyl, aryl, arylamino, 1,4-oxazinan -4-yl, 4-methyltetrahydro -1(2H)- pyrazinyl, 1-azetanyl ~~heterocyclyl~~ and sulfonamido;

wherein B, R^4, R^6, R^7, R^9, R^{10}, R^{18} and R^{23} are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

or a pharmaceutically acceptable salt thereof.

13. (Original) A compound of claim 12 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

14. (Currently Amended) A compound of the structure



wherein h is an integer of zero to five;

B, R^6, R^7, R^9, R^{10} are independently selected from the group consisting of hydrogen and alkyl;

R^{18} is selected from the group consisting of alkyl, cycloalkyl, cycloalkylalkyl, aryl, aralkyl~~, heterocyclylalkyl, heterocyclyl~~ and aryloxyalkyl;

R^{24} is selected from the group consisting of hydrogen, alkyl and aryl;

R^{25} is selected from the group consisting of hydrogen, halogen, alkyl and cycloalkyl;

R^{26} is selected from the group consisting of hydrogen, alkyl and aralkyl; and

R^{27} at each occurrence is independently selected from the group consisting of

halogen, hydroxyl, alkyl, alkoxy, thioalkoxy, $-CF_3$, alkylamino, alkenylamino, di(C_1-C_3 alkyl)amino, haloalkyl, alkoxyalkoxy, cycloalkyl, aryl, sulfonyl and -SO_2-(C_1-C_3 alkyl);

wherein B, R^6, R^7, R^9, R^{10}, R^{18}, R^{24}, R^{25}, R^{26} and R^{27} are unsubstituted or substituted with at least one electron donating or electron withdrawing group;

wherein R^{24} and R^{25} taken together may form a ring;

or a pharmaceutically acceptable salt thereof.

15. (Previously Amended) The compound of claim 14 wherein B, R^6, R^7, R^9, R^{10}, R^{24}, R^{25} and R^{26} are each independently hydrogen or alkyl and R^{18} is substituted or unsubstituted aralkyl.

16. (Original) A compound of claim 14 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

17. (Currently Amended) A compound of the structure



wherein Z, at each occurrence, is independently selected from the group consisting of CR^{30}, $C(R^{31})(R^{32})$, CH, O and S;

z is an integer of from 3 to 5;

k is 1;

T is $(CH_2)_b$ wherein b is an integer of from 0 to 1;

L is $(CH_2)_n$ wherein n is an integer of 0 or 1;

B is selected from the group consisting of

hydrogen and alkyl;

R^4 is selected from the group consisting of

hydrogen, aryl, alkyl, aralkyl~~, heterocyclyl~~ and biaryl;

R^6, R^7, R^9, R^{10}, R^{30}, R^{31} and R^{32} are hydrogen;

R^{18} is aralkyl; and

R^{29} is hydroxyl;

wherein B, R^4, R^6, R^7, R^9, R^{10}, R^{18}, R^{29}, R^{30}, R^{31} and R^{32} are

unsubstituted or substituted with at least one electron donating or electron withdrawing group;

or a pharmaceutically acceptable salt thereof.

18. (Original) A compound of claim 17 which is a derivative thereof selected from the group consisting of esters, carbamates, aminals, amides, optical isomers and pro-drugs.

19. (Original) The compound of claim 17 wherein z is three or four.

20. (Withdrawn)

21. (Withdrawn)

22. (Withdrawn)

23. (Withdrawn)

24. (Withdrawn)

25. (Original) A compound selected from the group consisting of (3S)-3-[({[2-methyl-4-(2-methylpropyl)-6-oxo-1-(phenylmethyl)-1,6-dihydro-5-pyrimidinyl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-(1,3-benzodioxol-5-yl)-3-[({[2-oxo-1-(phenylmethyl)-4-propyl-1,2-dihydro-3-pyridinyl]amino}carbonyl)amino]propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-ethyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-2-oxo-4-propyl-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid,

(3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({6-methyl-2-oxo-1-(phenylmethyl)-4-[(phenylmethyl)oxy]-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-2,4-dimethyl-6-oxo-1,6-dihydro-5-yrimidinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({4-amino-1-[(2-chlorophenyl)methyl]-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-{[({4-amino-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-[(2-chlorophenyl)methyl]-4-(1,4-oxazinan-4-yl)-2-oxo-1,2-dihydro-3-pyridinyl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-[(2-chlorophenyl)methyl]-2-oxo-4-(propylamino)-1,2-dihydro-3-pyridinyl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-bromophenyl)methyl]-4-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-[3-methyl-4-(methyloxy)phenyl]propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-2-oxo-4-phenyl-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-[(2-{[2-(methyloxy)ethyl]oxy}ethyl)oxy]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-6-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-[(1,1-dimethylethyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-

phenylpropanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-[4-methyltetrahydro-1(2H)-pyrazinyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-[4-(methyloxy)phenyl]propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3- pyridinyl}amino)carbonyl]amino}-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(3-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-[3-(methyloxy)phenyl]propanoic acid, (3S)-3-[3,5-bis(methyloxy)phenyl]-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-quinolinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-[3-(trifluoromethyl)phenyl]propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-({ethyl[(ethylamino)carbonyl]amino}carbonyl)amino]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({4-(1-azetanyl)-1-[(2-chlorophenyl)methyl]-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-[(2-chlorophenyl)methyl]-4-({2-[(2-{[2-(methyloxy)ethyl]oxy}ethyl)oxy]ethyl}oxy)-2-oxo-1,2-dihydro-3-pyridinyl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chloro-6-fluorophenyl)methyl]-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-5-methyl-2-oxo-1,2-dihydro-3-pyridinyl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-(1,3-benzodioxol-5-yl)-3-((((2-oxo-1-((4-(trifluoromethyl)phenyl)methyl)-1,2 dihydro-3-pyridinyl)amino)carbonyl)amino)propanoic acid, (3S)-3-((((1-((2-chlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-

methylphenyl)propanoic acid, (3S)-3-((((1-((2-bromophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2,4-dichlorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chloro-6-fluorophenyl)methyl)-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-methylphenyl)propanoic acid, (3S)-3-((((1-((2-chlorophenyl)methyl)-4-hydroxy-2-oxo-1,2-dihydro-3-pyridinyl)amino)carbonyl)amino)-3-(4-trifluoromethyl)oxy)phenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 4-{[3-[({[(1S)-2-carboxy-1-(4-methylphenyl)ethyl]amino}carbonyl)amino]-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-4-yl]amino}benzoic acid, (3S)-3-{[({1-(2-chlorobenzyl)-4-[(2,2-dimethylpropanoyl)amino]-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[4-{[(tert-butylamino)carbonyl]amino}-1-(2-chlorobenzyl)-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2,3-dihydro-1,4-benzodioxin-6-yl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(7-methoxy-1,3-benzodioxol-5-yl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxy-4-methoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dimethoxyphenyl)propanoic acid, (3S)-3-[({[1-(4-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2,6-difluorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,5-dimethoxyphenyl)propanoic acid, (3S)-3-

[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-methoxy-4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,5-dimethoxy-4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dimethylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-5-ethyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-{[({1-[2-chloro-5-(trifluoromethyl)benzyl]-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methylbenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2,6-dimethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-5-propyl-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-(3-butoxyphenyl)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]propanoic acid, (3S)-3-{[({1-[2-chloro-5-(methylsulfonyl)benzyl]-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl}amino)carbonyl]amino}-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(2-methoxyethoxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-

chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-dipropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(difluoromethoxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methylbenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-cyanobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, 3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2-naphthyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid (3S)-3-[({[1-(2-chloro-6-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3,4-diethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-methylbenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(2,3-dihydro-1-benzofuran-5-yl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-

hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-diethoxyphenyl)propanoic acid, (3S)-3-[({[5-chloro-1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-ethoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3-propoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-phenylpropanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1,3-diethyl-2-oxo-2,3-dihydro-1H-benzimidazol-5-yl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-[3-(trifluoromethoxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5,6-dimethyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-5-yl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-5-cyclopropyl-4-hydroxy-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-5-methoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-6-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(3-isopropoxyphenyl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(1-methyl-1H-indol-6-yl)propanoic acid, (3S)-3-[({[1-(2-chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropyloxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-

chloro-6-ethoxybenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-[3-(cyclopropylmethoxy)phenyl]propanoic acid, (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl]amino}carbonyl)amino]-3-(3,5-dimethylphenyl)propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-{3-[(difluoromethyl)oxy]phenyl}propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-{3-[(1,1,2,2-tetrafluoroethyl)oxy]phenyl}propanoic acid, (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-(1-ethyl-1H-indol-5-yl)propanoic acid and (3S)-3-{[({1-[(2-chlorophenyl)methyl]-4-hydroxy-2-oxo-2,5,6,7-tetrahydro-1H-cyclopenta[b]pyridin-3-yl}amino)carbonyl]amino}-3-[3-(diethylamino)phenyl]propanoic acid and pharmaceutical acceptable salts thereof.

26. (Original) (3S)-3-[({[1-(2-chlorobenzyl)-4-hydroxy-5-methyl-2-oxo-1,2-dihydropyridin-3-yl]amino}carbonyl)amino]-3-(4-methylphenyl)propanoic acid and pharmaceutical acceptable salts thereof.

27. (Withdrawn)

28. (Withdrawn)

29. (Withdrawn)

30. (Original) A pharmaceutical composition comprising:

a compound of claim 1

in a pharmaceutically acceptable carrier.

31. (Original) A method for selectively inhibiting $\alpha_4\beta_1$ integrin binding in a mammal comprising administering to said mammal a therapeutic amount of a compound of claim 1.